


LP-02

L Shape Quick Release Plate User Manual




Thank you for purchasing this iFootage product. To get the most from your LP-02 L Shape Quick Release Plate, please read the manual carefully prior to operating the equipment and keep the manual safe for future reference.

This product features an innovative quick-release plate design, equipped with both 1/4" and 3/8" threads, as well as a 50mm quick-mount interface. It can be directly mounted onto the Nano II slider, allowing for easy vertical shooting and enhancing the flexibility and creativity of your photography.


Technical Data

Product name	L Shape Quick Release Plate	Model	LP-02
Dimension	113x100x92mm	Weight	183g
Folded size	103x100x22mm	Mounting screw	1/4" camera screw
Material	Aluminium alloy	Applicable models	DSLR/SLT cameras
Payload	5kg(When attaching to Nano II please ensure payload is under 3.5kg)		


Parts Names




■ How to use the L plate



Open the L shape quick release plate upwards until in the vertical position at which point the unlock button will pop out.




To close, simply press the button and fold the plate back down until you hear a 'click' -this audibly indicates that the unit is now folded closed.




Caution: In order to avoid trapping or finger pinch, please do not place fingers in this location at the front or back of the plate.

■ How to install the camera onto the L plate


- 01** Tighten the base of the camera securely to the 1/4" screw on the L plate using a coin or 4mm#hex wrench.



- 02** To balance the camera, simply loosen the base screw and slide the camera backwards or forwards to locate its true centre point and then tighten the screw.




Camera screw slides
backwards and forwards



User Guide

■ How to install the L plate onto the Shark Slider Nano II



Maintenance

1. . If there is sand or grit on or within the L shape quick release plate, please gently remove with a soft, clean cloth.
2. After use in rain, snow or other wet conditions, please remove all moisture with a damp cloth allowing time for evaporation and drying prior to storage.
3. Handle all parts with care and avoid external pressure during storage.

* Please note: The slider, tripod, and camera are not included in the package and are used for illustrative purposes only

Statement

iFootage reserves the right to modify or rectify all hardware and software specifications without prior notice. In case of any discrepancy between the instruction manual and the actual product, please refer to the product itself.

iFootage and its affiliates shall not be liable for any direct, indirect, punitive, incidental, special, consequential or property damage, or any harm to life resulting from the use or misuse of any iFootage product. The user assumes all risks associated with using this product, and this does not affect your legal rights.

Manufacturer's Information



IFOOTAGE INTERNATIONAL (HK) LIMITED

UK Design & Made in China

Origin: China

Website: www.ifootagegear.com

