


SE★STARS Q15
Quick Release System
User Manual



Thank you for purchasing this iFootage product. The Seastars quick release system can be used with the majority of camera support equipment and camera heads. To get the most out of your quick release system please read the manual carefully prior to operating the equipment. Please keep the manual in a safe place for future reference.

Features

1. Rapid deployment, drop-in, auto locking. Simply rotate to unlock.
2. Designed for a variety of camera support equipment. Compact, portable, quick and easy to use.
3. This product includes the quick-release top plate and quick-release base. The quick-release top plate with both 1/4" & 3/8" screw is compatible with most camera and tripod heads.
4. Ideal for tripods, sliders and other camera support. 3/8" screw thread located on rear of quick release base and 1/4" conversion screw supplied.

List of items



Seastars Q1S



2.5mm #
Hex wrench



4mm #
Hex wrench



Conversion
screw



Warranty
card



Instruction
manual




Product
certification

*Do not lose any of the articles listed above

Notice: All diagrams shown in this instruction manual are for illustration purposes only.

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

Outer diameter size	111x32.5mm ± 0.6mm
Weight	248g ± 10g
Vertical load	9KG
Material	Aluminium-magnesium alloy / Quenched stainless steel




- 1** Quick-release head **2** 1/4" & 3/8" screw **3** Non-slip rubber ring
4 Quick-release base body **5** Unlock handle **6** 3/8" screw thread
7 Grub screw **8** Boss **9** Spirit level

User Guide and Functions

■ Mounting and debugging the quick release system




Turn base clockwise to install on tripod.



Gently turn anti-clockwise until a click is heard, indicating that the quick release head has now released.

***Note:** The quick release head can only be inserted when the quick release base is in the unlocked position.

■ Locking screw




When installing the quick release base please ensure that it is in the locked position and tighten the 2 fixing screws on the base with a 2.5mm#hex wrench.
When removing the quick release base please loosen the fixing screws first, and then unscrew the base manually.


NOTE: When removing the Seastars Q1S please ensure you have secured your camera to avoid damage.

User Guide and Functions


■ Using the quick release system



Install the head/camera on the quick release system



Ensure top plate is locked and then tighten using the 4mm#hex wrench.



Gently insert the quick release top plate into the quick release base, push down and rotate either direction until click sound indicates that it is now locked in position.

User Guide and Functions

- Versatile, time saving connectivity-quickly and easily switch your camera to a variety of camera support equipment.



Connect to a tripod



+



Connect to a monopod




Connect to a slider

Designed to function with the majority of camera support equipment - allowing you to easily move your camera set up from one camera support to another.

User Guide and Functions

■ Installing your camera



To ensure consistency of camera direction when moving to other support equipment, when installing the camera, please ensure you align the midway point of the lens with the line mark on the quick release plate.

Maintenance

1. If there is sand or grit inside the quick release base, please clean using a small brush or a clean cloth.
2. After use in rain, snow or other wet conditions, clean with a damp cloth. Allow all moisture to evaporate prior to packing away.
3. Handle all parts with care and avoid external pressure during storage.

*Please note that the tripod, camera head, sliders and camera are not included in the package and are used for illustrative purposes only.

Statement

iFootage reserves the right to modify or rectify all hardware and software specifications without prior notice. In case of any discrepancy between the instruction manual and the actual product, please refer to the product itself.

iFootage and its affiliates shall not be liable for any direct, indirect, punitive, incidental, special, consequential or property damage, or any harm to life resulting from the use or misuse of any iFootage product. The user assumes all risks associated with using this product, and this does not affect your legal rights.

Manufacturer's Information



IFOOTAGE INTERNATIONAL (HK) LIMITED

UK Design & Made in China

Origin: China

Website: www.ifootagegear.com

