




Spider Crab Support Rod 32" ***User Manual***



Thank you for purchasing this iFootage product. To get the most from your Spider Crab Support Rod, please read the manual carefully prior to operating the equipment and keep the manual safe for future reference.


Features

- 1. Modular design with removable quick release head: ideal for attaching and supporting a variety of devices.
- 2. The quick release head has an easy to use semi-circular locking system to secure your accessory/equipment. It can also be locked using the tool hook or a slotted screwdriver.
- 3. Extra safe security buckle lock system ensures absolutely no movement and total security.
- 4. The attaching clamp is available for Ø20~Ø48tubes, and is compatible with the majority of tripods.
- 5. Super compatibility: both joints offer a choice of 1/4" and 3/8" threads.
- 6. Patented design joint is quick and easy to use.

Technical Information

Model	SA-32	Mount thread	1/4"and 3/8"thread
Weight	660g	Crab clamp adjustable range	Ø20~Ø48 tubes
Material	Aluminium alloy	Telescopic range	52.8-81.3cm

Component Description




01 Removing the quick release head

Step 1: Release the buckle lock

Step 2: Press down on the security lock button


Step 3: Remove the quick release head




02 Attaching the quick release head

Insert quick release head into thread on underside of slider and tighten using the semi-circular locking system at the rear of the quick release head.

Attaching the quick release head to a camera slider




Attaching the quick release head onto the crab clamp



Tightening using the semi-circular locking system

Installation And User Guide

Alternatively, it can be locked using the tool hook or a slotted screwdriver.




03 Installing the quick release head


Step 1: Open and release the 3 buckles in the ends and middle.

Step 2: Carefully attach the locking system to the quick release head and rotate slightly to ensure a perfect fit around the quick release head.

Step 3: Lock and tighten all buckles and joints ensuring device is secure.



04 Using the spider crab rod to support a slider



*Please note that the tripod, camera head, sliders and camera are not included in the package and are used for illustrative purposes only.

Statement

iFootage reserves the right to modify or rectify hardware and software specifications without prior notice. In case of discrepancies between this manual and the actual product, refer to the physical product. iFootage and its affiliates shall not be liable for direct, indirect, punitive, incidental, special, consequential, property damage, or harm resulting from product misuse. The user assumes all risks associated with product usage. This disclaimer does not affect your legal rights.

Manufacturer's Information



IFOOTAGE INTERNATIONAL (HK) LIMITED

UK Design & Made in China

Origin: China

Website: www.ifootagegear.com

