




Spider Crab Vehicle Camera Mount User Manual



Thank you for purchasing this iFootage product. This manual provides important user information for the Spider Crab Vehicle Camera Mount. Please read the manual carefully before operating the equipment and keep the manual safe for future reference.

FEATURES

1. Modular in design, the mount equipment can be incorporated with additional spider crab support accessories to accommodate a variety of on vehicle shooting scenarios.
2. The vehicle camera mount is designed to support a payload of up to 45kg in a static position. This is ideal for the majority of recording equipment.
3. The three legged structure ensures both stability and safety.
4. The quick release systems provided by the spider crab arms and rods provide fast, flexible and efficient installation and can be adapted to accommodate a variety of vehicles and recording scenarios. (Please note that spider crab support rods will need to be purchased separately, if required)

LIST OF ITEMS

 VS-146 Vehicle Suction Cup 2pcs	 VS-118 Vehicle Suction Cup 2pcs	 75mm Bowl Head Quick Release Mount 1pcs	 75mm Bowl Mount 1pcs	 MS-01 Versatile Phone Holder 1pcs
 MA5-6 11 inches Spider Crab Magic Arm 3pcs	 VM-SRH Security Strap and Hook Kit 1set	 Carry case 1pcs	 Warranty Card	 Instruction Manual
			 Product Certification	

TECHNICAL DATA

Spider Crab Vehicle Camera Mount

Model

VM-I

Product weight

8.25kg


Product dimensions

515x430x145mm

Max payload


45kg(Static)

COMPONENT DESCRIPTION





USER GUIDE

■ HOW TO INSTALL THE SUCTION CUPS





Carefully select a smooth, hard surface which will allow the three suction cups to form an airtight inner seal and attach successfully.

■ INSTALLING THE QUICK RELEASE ADAPTERS





Lift the buckle and remove the quick release adapter from the magic arm. Attach the quick release adapter to the suction cup and ensure it is fully locked.

■ Installing the 11" magic arms, 75mm Bowl Mount and 75mm Bowl Head Quick Release Mount




Attach a magic arm to each of the three suction cups and then connect the 75mm bowl mount to the magic arms. Adjust and lock in place to meet your recording requirements. Finally, attach the camera head and install the 75mm bowl head quick release mount ensuring all parts are secure.

■ How to install the camera



Attach the camera to the quick release plate prior to carefully attaching to the camera head. Adjust the camera position and shooting angle and then balance the camera.

■ Installing the security strap






Security Strap and Hook
Kit 1 Set



Hook rings with 1/4" screw


■ Installing the security strap



Once the vehicle camera mount is in position, install the two hook rings; one to the 75mm bowl mount and the other to one of the suction cups and then connect them to the security strap using the hooks provided.


NOTE: Please ensure that the overall length of the security strap is less than the distance between the mounted equipment and the ground.

■ Versatile camera mount scenarios




Installation on the front of the vehicle


■ Versatile camera mount scenarios



Installation on the vehicle door



Installation on the vehicle rear



Installation inside the vehicle

Additional suction cups, magic arms and smartphone holders can be purchased separately. For more creative ideas and information please scan the QR code.



*Please note that the support rod, camera head and camera are not included in the package and are used for illustrative purposes only.

STATEMENT

iFootage reserve the right to amend or rectify all hardware and software specifications at any time without notice. If there appears to be any difference between the contents of the instruction manual and the actual product, please refer to the product itself.

iFootage and its associates will not be held responsible for the use or misuse of any of the iFootage products or any direct, indirect, punitive, incidental, special consequential property or life damage responsibility. The risk of users or any other person using this product shall be borne by the user. This will not affect your legal rights.

MANUFACTURER'S INFORMATION



IFOOTAGE INTERNATIONAL (HK) LIMITED

UK Design & Made in China

Origin: China

Website: www.ifootagegear.com

