


Wild Bull Tripod T5S/T7S

Instruction manual



3DK1257001

Content

■ FEATURES	1
■ LIST OF ARTICLES	1
■ TECHNICAL INFORMATION	1
■ COMPONENT DESCRIPTION	2
■ USER GUIDE	3
• MOUNTING THE FLAT BOTTOM PAN HEAD ON THE TRIPOD	3
• MOUNTING THE BALL HEAD ON THE TRIPOD	4
• MOUNTING THE CAMERA AND THE MINI CRANE M1 III	5
• HOW TO USE THE FOOT SPIKES AND THE FOOT PADS	6
• HOW TO ADJUST THE ANGLES	7
• HOW TO USE THE MID-LEVEL SPREADER AND THE GROUND SPREADER	8
• HOW TO USE THE ACCESSORIES	9
■ SAFETY GUIDE	9

FEATURES

- 1.This product is suitable for broadcast equipment.
- 2.Easy to operate unique, patented ball head quick release system.
- 3.Its high quality, superior grade carbon fibre and aluminium magnesium alloy material provides increased strength, rigidity, and wear resistance.
- 4.The unique joint structure increases stability when the tripod is used on uneven terrain.
- 5.The mid-level spreader and ground spreader are detachable and adjustable between 15° and 78°.
- 6.The smart snap design is ideal for tripod leg extension or folding.

LIST OF ARTICLES




Tripod




Pan head box




Bag



Instruction manual



Warranty card



Product certification

TECHNICAL INFORMATION


T5S

Weight	4.0kg
Maximum load	40kg
Tube diameter	34mm
Material	Anodized aluminum
Minimum height	200mm
Maximum height	1500mm
Bowl diameter	75mm
Folded height	720mm
Number of sections	3


T7S

Weight	3.5kg
Maximum load	40kg
Tube diameter	34mm
Material	Carbon fiber
Minimum height	200mm
Maximum height	1500mm
Bowl diameter	75mm
Folded height	720mm
Number of sections	3

COMPONENT DESCRIPTION




01 MOUNTING THE FLAT BOTTOM PAN HEAD ON THE TRIPOD



1. Press release button on handle and pull down

To re-attach, press the release button and push handle up towards ball head

2. Release button and rotate handle clockwise to lock




1. To release ball head, turn handle ① rotation anti-clockwise


2. Press release button on handle and pull down

- 1 Unscrew the lock mechanism to remove the hemisphere base.
- 2 Attach the hemisphere base to the flat video head and tighten 3/8" screw. Tighten the three top fastening screws.
- 3 Mount the unit onto tripod and adjust the ball head to horizontal, then tighten the locking handle.

02 MOUNTING THE BALL HEAD ON THE TRIPOD




03 MOUNTING THE CAMERA AND THE MINI CRANE M1 III



*The Mini Crane M1 III is the perfect complement to the iFootage Wild Bull Tripod T5S/T7S.


04 HOW TO USE THE FOOT SPIKES AND THE FOOT PADS




Uneven terrain



Muddy ground



Ice




Slippery ground



The foot spikes and foot pads enable the tripod to work perfectly in harsh environments such as muddy or slippery ground, uneven terrain, ice, and other difficult surfaces.

05 HOW TO ADJUST THE ANGLES

1 Angle range




- a. Maximum working angle: 78°
- b. Minimum angle: 15°





2 Low angle

- a. Loosen all of the snaps, then draw back the tubes to the shortest.
- b. Unscrew the locking knob of the ground spreader.
- c. Stretch out the three tubes to the maximum angle.
- d. Tighten the locking knob of the ground spreader.




Locking knob




06 HOW TO USE THE MID-LEVEL SPREADER AND THE GROUND SPREADER

- 1 Press the ground spreader button.



- 2 Take off the connecting button of the ground spreader.




- 3 Mount the connecting button on the hook of the mid-level spreader. The ground spreader can then be used as a mid-level spreader and avoid any obstacles when shooting.

07

HOW TO USE THE ACCESSORIES

1 How to use the rubber belt



SAFETY GUIDE

1. This is not a toy. Children must be properly supervised by a guardian/adult when the product is in use.
2. Do not disassemble, crush, bend, deform, shred, microwave, or incinerate the product or its parts.
3. Do not use the product near a high voltage area.
4. Do not exceed the product's load capacity as stated in the specification.
5. Only qualified personnel may repair this product.
6. Do not use lubricant on the product. Any abrasive cleaning tools should be avoided.

*Notice: Please note that the pan head, ball head, and the camera devices are not included in the package and are used for illustrative purposes only.

STATEMENT

iFootage reserve the right to amend or rectify all hardware and software specifications at any time without notice. If there appears to be any difference between the contents of the instruction manual and the actual product, please refer to the product itself.

iFootage and its associates will not be held responsible for the use or misuse of any of the iFootage products or any direct, indirect, punitive, incidental, special consequential property or life damage responsibility. The risk of users or any other person using this product shall be borne by the user. This will not affect your legal rights.

Manufacturer's Information



IFOOTAGE INTERNATIONAL (HK) LIMITED

UK Design & Made in China

Origin: China

Website: www.ifootagegear.com